

Historic, archived document


Do not assume content reflects current
scientific knowledge, policies, or practices

1.8
Ex 892 E




BUILD EARLY FOR GOOD GROWTH-4

THE TEETH AND THEIR STRUCTURE



TEMPORARY TEETH

28059-C




PERMANENT TEETH

28060-C

Both pictures show broad, well-formed jaws and regular, even teeth. Note that in the adult the permanent bicuspid replace the child's temporary molars, while the second and third permanent molars come in back of the "six-year molars." In the child's lower jaw, note crypts or spaces in which the permanent molars are forming.

1. Central incisor.
2. Lateral incisor.
3. Cuspid.
4. First temporary molar.
5. Second temporary molar.
6. First permanent (six-year) molar visible in its crypt in the lower jaw.
7. Crypt of second permanent molar.

1. Central incisor.
2. Lateral incisor.
3. Cuspid.
4. First bicuspid.
5. Second bicuspid.
6. First molar.
7. Second molar.
8. Third molar.



TEETH AND JAWS OF A 6-YEAR-OLD CHILD

28055-C

The permanent teeth, enameled but as yet without roots, are ready to begin displacing the temporary teeth

BUILD EARLY FOR GOOD TEETH

Prepared by Office of Cooperative Extension Work, Extension Service, United States Department of Agriculture, Washington, D. C.